

[寸法：ミリ 価格：円]

### 採光タイプ [標準仕様]

高さH \ 幅W	200～600	601～800	801～1000	1001～1200	1201～1400	1401～1650	1651～1850
200～600	16,900	19,800	22,700	26,000	29,300	32,600	35,100
601～800	18,100	21,400	24,700	28,400	32,200	35,900	38,800
801～1000	19,300	23,000	26,700	30,800	35,000	39,200	42,600
1001～1200	21,300	25,500	29,700	34,000	38,300	43,400	47,500
1201～1400	23,300	28,000	32,200	37,200	41,700	47,700	52,500
1401～1600	25,200	30,100	35,000	40,400	45,800	51,700	56,400
1601～1800	27,100	32,100	37,200	43,500	49,900	55,700	60,300
1801～2000	28,400	33,800	39,200	46,000	52,900	59,000	64,000
2001～2200	29,600	35,500	41,300	48,500	55,800	62,400	67,600
2201～2400	31,400	38,100	44,800	51,700	58,700	66,400	72,500
2401～2600	33,200	40,800	48,300	54,900	61,500	70,400	77,500
2601～2800	34,400	42,400	50,300	57,300	64,300	73,600	81,100
2801～3000	35,600	44,000	52,300	59,700	67,100	76,900	84,700

### 防炎採光タイプ / 遮光タイプ [標準仕様]

高さH \ 幅W	200～600	601～800	801～900	901～1200	1201～1350
200～600	19,600	23,200	26,900	31,000	35,200
601～800	21,500	25,800	30,100	34,900	39,600
801～1000	23,400	28,300	33,300	38,700	44,100
1001～1200	26,100	31,700	37,200	43,200	49,200
1201～1400	28,800	35,000	41,200	47,700	54,200
1401～1600	31,500	38,200	44,900	52,500	60,100
1601～1800	34,100	41,300	48,600	57,200	65,900
1801～2000	36,100	44,000	51,900	61,200	70,500
2001～2200	38,100	46,600	55,100	65,100	75,000
2201～2400	40,600	50,200	59,800		
2401～2600	43,100	53,900	64,600		
2601～2800	45,100	56,400	67,800		
2801～3000	47,000	59,000	71,000		

### 採光タイプ [断熱レール仕様]

高さH \ 幅W	200～600	601～800	801～1000	1001～1200	1201～1400	1401～1650	1651～1850
200～600	20,700	23,600	26,400	29,800	33,100	36,300	38,900
601～800	22,500	25,800	29,000	32,800	36,500	40,300	43,200
801～1000	24,500	28,200	31,800	36,000	40,100	44,300	47,700
1001～1200	26,900	31,100	35,300	39,600	43,900	49,100	53,200
1201～1400	30,000	34,800	38,900	44,000	48,400	54,400	59,200
1401～1600	32,100	37,000	41,900	47,300	52,700	58,600	63,300
1601～1800	34,000	39,100	44,100	50,500	56,900	62,600	67,200
1801～2000	37,100	42,500	47,900	54,800	61,600	67,700	72,700
2001～2200	38,400	44,300	50,100	57,300	64,500	71,100	76,400
2201～2400	41,100	47,800	54,500	61,400	68,400	76,100	82,200
2401～2600	43,500	51,000	58,600	65,200	71,800	80,700	87,700
2601～2800	46,800	54,700	62,600	69,600	76,700	86,000	93,400
2801～3000	48,000	56,400	64,700	72,100	79,500	89,300	97,100

### 防炎採光タイプ / 遮光タイプ [断熱レール仕様]

高さH \ 幅W	200～600	601～800	801～900	901～1200	1201～1350
200～600	23,400	27,000	30,700	34,800	39,000
601～800	25,900	30,200	34,500	39,200	44,000
801～1000	28,600	33,500	38,400	43,800	49,300
1001～1200	31,700	37,300	42,900	48,800	54,800
1201～1400	35,500	41,700	47,900	54,400	60,900
1401～1600	38,300	45,100	51,800	59,400	66,900
1601～1800	41,000	48,300	55,500	64,200	72,800
1801～2000	44,800	52,700	60,600	69,900	79,200
2001～2200	46,900	55,400	63,900	73,900	83,800
2201～2400	50,300	59,900	69,600		
2401～2600	53,400	64,100	74,800		
2601～2800	57,400	68,700	80,100		
2801～3000	59,400	71,400	83,400		

●上記価格はメーカー希望小売価格です。(消費税、取り付け費、工事費などは含まれておりません。)

## 採光タイプ [標準仕様]

高さH \ 幅W	340~600	601~800	801~1000	1001~1200	1201~1400	1401~1600	1601~1800	1801~2000	2001~2200	2201~2400
200~600	20,600	24,500	28,400	32,400	36,400	39,900	43,300	46,100	48,900	51,800
601~800	22,500	26,500	30,400	34,800	39,200	43,100	46,900	50,000	53,200	57,600
801~1000	24,400	28,400	32,400	37,200	42,000	46,200	50,500	54,000	57,400	63,400
1001~1200	25,700	30,600	35,500	40,700	45,900	51,000	54,200	58,800	63,300	68,400
1201~1400	27,000	32,800	38,600	44,200	49,900	55,800	57,800	63,500	69,200	73,400
1401~1600	29,300	35,500	41,600	47,100	52,700	58,700	62,800	68,300	73,700	80,300
1601~1800	31,600	38,200	44,700	50,100	55,500	61,600	67,800	73,000	78,100	87,200
1801~2000	33,000	39,900	46,800	52,600	58,400	65,000	71,600	78,300	84,900	92,000
2001~2200	34,300	41,700	49,000	55,200	61,400	68,400	75,400	83,600	91,700	96,800
2201~2400	36,500	43,800	51,100	58,400	65,700	72,700	79,600	88,400	97,200	103,700
2401~2600	38,600	45,900	53,300	61,700	70,100	76,900	83,800	93,300	102,800	110,500
2601~2800	39,800	47,500	55,200	64,000	72,800	80,300	87,700	97,500	107,300	118,700
2801~3000	41,000	49,100	57,200	66,400	75,600	83,600	91,600	101,700	111,800	126,800

## 採光タイプ [断熱レール仕様]

高さH \ 幅W	360~600	601~800	801~1000	1001~1200	1201~1400	1401~1600	1601~1800	1801~2000	2001~2200	2201~2400
200~600	24,400	28,300	32,200	36,200	40,200	43,700	47,100	49,900	52,700	55,600
601~800	26,900	30,900	34,800	39,200	43,600	47,400	51,300	54,400	57,600	62,000
801~1000	29,600	33,600	37,500	42,300	47,100	51,400	55,600	59,100	62,600	68,600
1001~1200	31,300	36,200	41,100	46,300	51,500	56,600	59,800	64,400	69,000	74,000
1201~1400	33,700	39,500	45,300	50,900	56,600	62,600	64,600	70,300	76,000	80,100
1401~1600	36,200	42,400	48,500	54,000	59,500	65,600	69,700	75,100	80,600	87,200
1601~1800	38,600	45,100	51,600	57,000	62,400	68,600	74,800	79,900	85,100	94,100
1801~2000	41,700	48,600	55,500	61,300	67,100	73,700	80,300	87,000	93,600	100,700
2001~2200	43,100	50,400	57,800	64,000	70,100	77,200	84,200	92,300	100,500	105,600
2201~2400	46,200	53,500	60,800	68,100	75,400	82,400	89,300	98,100	106,900	113,400
2401~2600	48,900	56,200	63,500	71,900	80,300	87,200	94,100	103,600	113,000	120,800
2601~2800	52,100	59,800	67,600	76,400	85,200	92,600	100,000	109,800	119,600	131,000
2801~3000	53,400	61,500	69,600	78,800	88,000	96,000	104,000	114,100	124,200	139,200

## 防災採光タイプ / 遮光タイプ [標準仕様]

[寸法：ミリ 価格：円]

高さH \ 幅W	340~600	601~800	801~1000	1001~1200	1201~1400	1401~1600	1601~1800	1801~2000	2001~2200	2201~2400
200~600	23,300	28,100	32,900	37,800	42,700	47,000	51,300	55,000	58,700	62,500
601~800	26,100	31,200	36,300	41,900	47,500	52,500	57,500	61,900	66,200	71,800
801~1000	28,800	34,300	39,800	46,000	52,300	58,000	63,700	68,700	73,700	81,200
1001~1200	31,000	37,700	44,300	51,300	58,300	64,200	70,100	76,500	82,900	89,700
1201~1400	33,200	41,000	48,900	56,600	64,300	70,400	76,400	84,200	92,000	98,200
1401~1600	36,300	44,900	53,400	61,300	69,400	76,600	84,100	91,900	99,700	108,600
1601~1800	39,500	48,700	57,900	66,000	74,000	82,900	90,500	99,500	107,400	119,100
1801~2000	41,500	51,200	61,000	69,600	78,200	87,700	97,200	106,600	116,100	126,000
2001~2200	43,400	53,700	64,000	73,200	82,400	92,500	102,600	113,700	124,900	133,000
2201~2400	46,300	56,900	67,500	78,100	88,700	97,900	109,200	121,300	133,400	143,100
2401~2600	49,200	60,100	71,000	83,000	95,000	103,300	115,800	128,900	141,900	153,200
2601~2800	50,800	62,200	73,600	86,100	98,500	108,600	120,800	134,300	147,800	162,800
2801~3000	52,300	64,200	76,200	89,100	102,100	113,900	125,800	139,700	153,700	172,400

## 防災採光タイプ / 遮光タイプ [断熱レール仕様]

高さH \ 幅W	360~600	601~800	801~1000	1001~1200	1201~1400	1401~1600	1601~1800	1801~2000	2001~2200	2201~2400
200~600	27,100	31,900	36,700	41,600	46,500	50,800	55,100	58,800	62,500	66,300
601~800	30,400	35,600	40,700	46,300	51,900	56,900	61,900	66,300	70,600	76,200
801~1000	34,000	39,400	44,900	51,200	57,500	63,200	68,900	73,900	78,900	86,400
1001~1200	36,600	43,300	49,900	56,900	63,900	69,800	75,700	82,100	88,500	95,300
1201~1400	39,900	47,700	55,600	63,300	71,000	77,100	83,100	90,900	98,700	104,900
1401~1600	43,200	51,800	60,300	68,200	76,300	83,500	90,900	98,800	106,600	115,500
1601~1800	46,500	55,700	64,900	72,900	81,000	89,800	97,500	106,500	114,300	126,000
1801~2000	50,200	59,900	69,700	78,300	86,900	96,400	105,900	115,400	124,800	134,800
2001~2200	52,200	62,500	72,800	82,000	91,200	101,300	111,400	122,500	133,600	141,800
2201~2400	56,000	66,600	77,200	87,800	98,400	107,600	118,900	131,000	143,100	152,800
2401~2600	59,500	70,400	81,300	93,300	105,200	113,600	126,100	139,100	152,200	163,500
2601~2800	63,100	74,500	85,900	98,400	110,900	121,000	133,100	146,600	160,100	175,200
2801~3000	64,700	76,600	88,600	101,500	114,500	126,300	138,200	152,100	166,100	184,800

●上記価格はメーカー希望小売価格です。(消費税、取り付け費、工事費などは含まれておりません。)



[ 寸法 : ミリ 価格 : 円 ]

## 障子タイプ

### 採光タイプ

高さH \ 幅W	500 ~ 600	601 ~ 900	901 ~ 1200	1201 ~ 1500	1501 ~ 1800	1801 ~ 2100	2101 ~ 2400	2401 ~ 2700
500 ~ 1000	34,000	37,300	50,700	56,000	58,900	63,400	69,700	71,400
1001 ~ 1300	41,300	45,500	60,700	67,700	70,700	76,500	84,900	86,800
1301 ~ 1600	49,200	55,200	74,600	84,900	88,300	96,500	109,000	111,400
1601 ~ 1900	50,800	56,800	77,000	87,200	90,700	98,700	111,000	113,400
1901 ~ 2200	53,600	59,600	81,300	91,700	95,300	103,200	115,800	118,300
2201 ~ 2500	72,100	84,000	113,400	132,500	139,400	148,200	171,100	180,000

## 傾斜台形タイプ

### 採光タイプ

高さH \ 幅W	300 ~ 600	601 ~ 1000	1001 ~ 1500
300 ~ 600	41,200	52,800	53,500
601 ~ 800	44,800	57,800	59,100
801 ~ 1000	48,300	62,700	64,700
1001 ~ 1200	53,000	68,200	71,800
1201 ~ 1400	57,700	73,700	79,000
1401 ~ 1650	61,700	80,400	83,100
1651 ~ 1850	66,500	88,500	90,300

## ボトムアップタイプ

### 採光タイプ

高さH \ 幅W	500 ~ 750	751 ~ 1000	1001 ~ 1350	1351 ~ 1700	1701 ~ 2100
200 ~ 600	38,400	40,000	44,000	47,900	48,200
601 ~ 900	40,100	41,800	46,800	51,900	52,700
901 ~ 1200	41,700	43,500	49,700	55,900	57,300
1201 ~ 1500	49,700	51,800	59,700	67,700	
1501 ~ 1850	57,700	60,100	69,800	79,200	

●価格はメーカー希望小売価格です。(消費税、取り付け費、工事費などは含まれておりません。)

## トップライトタイプ

### 採光タイプ

高さH \ 幅W	400 ~ 600	601 ~ 750	751 ~ 900	901 ~ 1050	1051 ~ 1200
400 ~ 900	23,800	27,200	30,900	35,300	39,700
901 ~ 1050	25,000	28,800	32,500	36,900	41,300
1051 ~ 1200	26,600	30,300	34,100	38,800	43,100
1201 ~ 1350	28,100	31,900	35,600	40,600	45,300
1351 ~ 1500	29,700	33,400	37,200	42,500	48,100
1501 ~ 1650	31,300	35,000	39,100	44,400	50,900
1651 ~ 1800	32,800	36,600	40,900	46,300	54,100
1801 ~ 1950	34,400	38,400	42,800	48,400	
1951 ~ 2100	35,900	40,300	45,000	50,600	
2101 ~ 2250	37,500	41,900	47,200		
2251 ~ 2400	39,400	43,800	49,700		

### 防災採光タイプ

高さH \ 幅W	400 ~ 600	601 ~ 750	751 ~ 800
400 ~ 900	29,100	32,800	36,900
901 ~ 1050	30,600	35,000	39,700
1051 ~ 1200	32,500	37,500	42,800
1201 ~ 1350	34,700	40,000	46,300
1351 ~ 1500	36,900	42,500	
1501 ~ 1650	39,100	45,300	
1651 ~ 1800	41,300		

### 遮光タイプ

高さH \ 幅W	400 ~ 600	601 ~ 750	751 ~ 900	901 ~ 1050	1051 ~ 1200
400 ~ 900	29,100	32,800	36,900	41,900	45,900
901 ~ 1050	30,600	35,000	39,700	44,700	49,700
1051 ~ 1200	32,500	37,500	42,800	47,800	53,800
1201 ~ 1350	34,700	40,000	46,300	51,300	58,100
1351 ~ 1500	36,900	42,500	50,000	55,000	62,500
1501 ~ 1650	39,100	45,300	53,800	58,800	67,200
1651 ~ 1800	41,300	48,100	57,500	62,500	71,900
1801 ~ 1950	43,400	51,300	61,300	66,600	
1951 ~ 2100	45,900	54,400	65,000	70,600	
2101 ~ 2250	48,400	57,800	69,100		
2251 ~ 2400	50,900	61,300	73,100		